



Christchurch Harbour Ringing Station

Bi-ennial Report

2012-2013

February 2014

Christchurch Harbour Ringing Station

Bi-ennial Report 2012-2013

CONTENTS

INTRODUCTION.....	2
Table 1 – Number of birds ringed since 1956.....	3
Table 2 – Ringing Totals to 31 st December 2012.....	4
Table 3 – Ringing Totals to 31 st December 2013.....	5
Table 4 – CHRS Monthly Ringing Totals 2012	6
Table 5 – CHRS Monthly Ringing Totals 2013	7
RECOVERIES AND CONTROLS	
Systematic list of Recoveries and Controls.....	8
CHRS ANNUAL TOTALS 1956-2013.....	20
BLASHFORD LAKES CONSTANT EFFORT SITE 2011 & 2012	23
BLASHFORD LAKES CES 2013	24
BLASHFORD LAKES CES TOTALS 2012 & 2013	26
BLASHFORD LAKES NEST RECORDS	27
FIRECREST RAS NEW FOREST	28
BLASHFORD LAKES 2012 & 2013	28
FERNDOWN RINGING 2012 & 2013	31
RINGING AT SWAY & BARCUD, WALES	33
ACKNOWLEDGEMENTS.....	37

INTRODUCTION

Kevin Sayer

This report covers the activities of Christchurch Harbour Ringing Station (CHRS) for the years 2012 and 2013. Details of ringing operations carried out at other sites over the same period have also been included.

We are still continuing the keying-in of all the historic CHRS ringing data. This task may still take a few more years to complete but thanks go to Brenda & Kathryn for helping me in this onerous task.

We are now ringing more birds at Blashford Lakes than anywhere else. We will continue our Spring and Autumn ringing in Christchurch Harbour along with other projects within The New Forest.

We would like to give thanks to the landowners on whose land we have carried out ringing operations during 2012 and 2013. At Hengistbury Head we are indebted to Bournemouth Borough Council for their kind permission and we must also give thanks to Christchurch Borough Council for the use of Stanpit Marsh. Bob Chapman and Ed Bennett, the Reserve Officers for Blashford Lakes, have given us immense support for our ringing operations at that site for which we are most thankful. We gratefully acknowledge their support and hope that it will continue into the future.

C.H.R.S. Bi-ennial Report 2012-2013

Table 1 - Number of birds ringed since 1956

CHRS Bi-ennial Report 2012 & 2013								
Year	<----- Ringed at CHRS ----->			<--- Ringed outside CHRS --->			New	Retraps
	New	* Retraps	Species	New	Retraps	Species	Total	Total
1956	31		11				31	0
1957	304		37				304	0
1958	303		35				303	0
1959	667		54				667	0
1960	1,322		56				1,322	0
1961	450		46				450	0
1962	900		52				900	0
1963	1,806		57				1,806	0
1964	1,271		54				1,271	0
1965	2,688		54				2,688	0
1966	745		45				745	0
1967	751		31				751	0
1968	481		32				481	0
1969	503		33				503	0
1970	2,237		63				2,237	0
1971	2,916		61				2,916	0
1972	1,946		56				1,946	0
1973	3,397		56				3,397	0
1974	1,028		40				1,028	0
1975	1,631		53				1,631	0
1976	1,662		41				1,662	0
1977	1,706		30				1,706	0
1978	247		24				247	0
1979	419		36				419	0
1980	503		25				503	0
1981	153		18				153	0
1982	292		21				292	0
1983	1,521		39				1,521	0
1984	470		28				470	0
1985	1,692		58				1,692	0
1986	1,823		43				1,823	0
1987	1,666		45				1,666	0
1988	2,334		59				2,334	0
1989	2,714		35				2,714	0
1990	746		22				746	0
1991	311		8				311	0
1992	66		16				66	0
1993	247		21				247	0
1994	481		29				481	0
1995	527		28				527	0
1996	326		22				326	0
1997	524		21				524	0
1998	10		6				10	0
1999	389		22				389	0
2000	112		10				112	0
2001	182		18				182	0
2002	379		21				379	0
2003	722		28				722	0
2004	651		25				651	0
2005	401		24				401	0
2006	260		20				260	0
2007	316		26	133	8	16	449	8
2008	1,252	106	43	628	65	28	1,880	171
2009	1,766	181	40	288	52	23	2,054	233
2010	2,093	239	40	784	121	30	2,877	360
2011	1,371	143	31	1,965	216	52	3,336	359
2012	776	54	30	2,760	644	52	3,536	698
2013	646	49	31	1,715	512	52	2,361	561
Total	57,133	772		8,273	1,618		65,406	2,390

* KRS only

4

C.H.R.S. Bi-ennial Report 2012-2013

Table 2 – Ringing Totals to 31st December 2012 (Newly ringed birds only)

	←----- BLASHFORD LAKES -----→					←----- WALES -----→					Total
	CHRS	Centre	Lapwing Hide	Goosander Hide	Ibsley Water	New Forest	Sway	Ferndown	Barcud	Tanyresgair	
Sparrowhawk							1	1	1		3
Black-headed Gull					81		1				82
Stock Dove							3				3
Woodpigeon							7	1			8
Collared Dove							7				7
Kingfisher		1	2								3
Green Woodpecker			1								1
Great Spotted Woodpecker	2		7	2			6	6	11		34
Sand Martin	68			135							203
Swallow	14								1		15
House Martin	3										3
Tree Pipit				2							2
Meadow Pipit	1										1
Yellow Wagtail	31										31
Pied/White Wagtail							1	5			6
Wren	9	3	10	2		1	2		3		30
Dunnock	10	3	17	1			27	3	6	1	68
Robin	11	1	16	9		3	15	7	15	2	79
Redstart				3					2		5
Stonechat	1										1
Blackbird	7	13	8	4			79	14	11	1	137
Song Thrush	5	4	4	4		1	2	1			21
Redwing									1		1
Cetti's Warbler	4										4
Sedge Warbler	338		10								348
Reed Warbler	56		80	9							145
Lesser Whitethroat	1										1
Whitethroat	17								3		20
Garden Warbler			22	7							29
Blackcap	36		15	32			2				85
Chiffchaff	81	1	30	68				6	6		192
Willow Warbler	21		28	44					9		102
Goldcrest	17	7		2			1	49	2		78
Firecrest						7					7
Bearded Tit	3										3
Long-tailed Tit	6	5	10	2			12	14	2		51
Marsh Tit							1		3		4
Coal Tit		1				2	8	18	34		63
Blue Tit	3	45	26	12		17	45	34	161	2	345
Great Tit	6	33	6	5		7	6	23	103	2	191
Nuthatch						4	2	2	9		17
Treecreeper		1					2		1		4
Jay			3						9		12
Jackdaw							6		3		9
Rook							2				2
Starling							59	1	3		63
House Sparrow							3	1	4		8
Chaffinch		11	1	3		15	10	13	75	1	129
Greenfinch	13		3			7	25	5	39		92
Goldfinch	1	41					28	72	145		287
Siskin		148					71	36	46		301
Linnet									1		1
Lesser Redpoll	2	99						41	2		144
Bullfinch			4	2			13	3			22
Reed Bunting	9		18	1			2	3			33
TOTAL	776	417	321	349	81	64	449	359	711	9	3,536

C.H.R.S. Bi-ennial Report 2012-2013

Table 3 – Ringing Totals to 31st December 2013 (Newly ringed birds only)

	← BLASHFORD LAKES →					← WALES →					Total
	CHRS	Centre	Lapwing Hide	Goosander Hide	Ibsley Water	New Forest	Sway	Ferndown	Barcud	Tanyresgair	
Sparrowhawk			1						1		2
Stock Dove							3		2		5
Woodpigeon	1						2				3
Collared Dove							8				8
Kingfisher	2										2
Green Woodpecker			1								1
Great Spotted Woodpecker							1	3	3		7
Sand Martin					36						36
Swallow	5					4					9
House Martin					1						1
Yellow Wagtail	94										94
Pied/White Wagtail	32		37					18			87
Wren	10	5	15						8		38
Duncock	9	1	8		1		8	5	10		42
Robin	18	8	17		12		8	6	19		88
Redstart	1					1			8		10
Wheatear	1										1
Blackbird	8		8		6	1	28	13	25		89
Song Thrush	7	1	3				1				12
Cetti's Warbler	7		1								8
Sedge Warbler	175		12		1						188
Reed Warbler	77		93								170
Lesser Whitethroat	1										1
Whitethroat	15		1								16
Garden Warbler	1		18		4						23
Blackcap	31		10		13		1	3	1		59
Chiffchaff	60		25		33			8	5		131
Willow Warbler	37		18		14				4		73
Goldcrest	1		3					16	2		22
Firecrest								1			1
Pied Flycatcher	1										1
Bearded Tit	2										2
Long-tailed Tit	7		6					8	5		26
Marsh Tit						1					1
Coal Tit						3		6	26		35
Blue Tit	5	40	6		7			9	18	118	203
Great Tit	5	35	6		2	1	3	13	69		134
Nuthatch		8				1	1		8		18
Treecreeper			1						2		3
Jay									9		9
Magpie							2	2			4
Jackdaw							7		4		11
Rook							4				4
Carrion Crow								1			1
Starling			2				59				61
House Sparrow						6	2	1			9
Chaffinch		7	1		2	1	3	14	41		69
Brambling		1						1			2
Greenfinch	15		8					4	2	20	49
Goldfinch	8	1						21	59	71	160
Siskin		52						79	42	59	232
Lesser Redpoll		25							34	7	66
Bullfinch			2					5		1	8
Reed Bunting	10		13					3			26
TOTAL	646	184	316	132	0	19	263	273	528	0	2,361

C.H.R.S. Bi-ennial Report 2012-2013

Table 4 – CHRS Monthly Ringing Totals 2012 (inc.retraps)

CHRS MONTHLY TOTALS 2012 (inc.retraps)													
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
Dunlin		1											1
Great Spotted Woodpecker										3			3
Sand Martin								19	50				69
Swallow								8	7				15
House Martin									3				3
Meadow Pipit									1				1
Yellow Wagtail									31				31
Wren				1				1	3	7			12
Dunnock				3	3			1	3	6			16
Robin				1	6			2	3	6			18
Stonechat									1				1
Blackbird					1			1	1	5			8
Song Thrush				2	2					2			6
Cetti's Warbler									3	1			4
Sedge Warbler					1			209	135				345
Reed Warbler					1			32	34				67
Lesser Whitethroat									1				1
Whitethroat					4			7	7				18
Blackcap				8	5			5	12	8			38
Chiffchaff				4	4			3	32	38			81
Willow Warbler				1				7	13				21
Goldcrest										19			19
Bearded Tit								2	1				3
Long-tailed Tit					4				1	4			9
Blue Tit				2				2		1			5
Great Tit				1				1	1	4			7
Greenfinch				1				2	3	7			13
Goldfinch									1				1
Lesser Redpoll										2			2
Reed Bunting								6	6				12
Total	0	1	0	24	31	0	0	308	353	113	0	0	830
Species	0	1	0	10	10	0	0	17	24	15	0	0	30

C.H.R.S. Bi-ennial Report 2012-2013

Table 5 – CHRS Monthly Ringing Totals 2013 (inc.retraps)

CHRS MONTHLY TOTALS 2013 (inc.retraps)													
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
Woodpigeon				1									1
Kingfisher									2				2
Woodlark	1												1
Swallow								5					5
House Martin													0
Meadow Pipit													0
Yellow Wagtail								14	80				94
Pied/White Wagtail										32			32
Wren								2	3	8			13
Dunnock				5	1			1	3	6			16
Robin				1				4	9	9			23
Redstart				1									1
Wheatear								1					1
Blackbird				10				1		3			14
Song Thrush				3				1	2	2			8
Cetti's Warbler				6				1	4	2			13
Sedge Warbler								111	65				176
Reed Warbler				2	3		1	49	33				88
Lesser Whitethroat				1									1
Whitethroat				6				8	2				16
Garden Warbler									1				1
Blackcap				8				3	10	11			32
Chiffchaff				3				2	15	42			62
Willow Warbler				9	1			21	6				37
Goldcrest										1			1
Pied Flycatcher									1				1
Bearded Tit								1		2			3
Long-tailed Tit										7			7
Blue Tit								1	1	3			5
Great Tit								1	3	1			5
Greenfinch				5	1			2	6	2			16
Goldfinch										8			8
Lesser Redpoll													0
Reed Bunting				3				6	3				12
Total	1	0	0	64	6	0	1	235	249	139	0	0	695
Species	1	0	0	15	4	0	1	20	19	16	0	0	31

C.H.R.S. Bi-ennial Report 2012-2013

Recoveries and Controls *Kevin Sayer*

The following pages details all significant recoveries and controls over the last two years. This report only includes those records received by CHRS during the previous two years (2012-2013). As we are now receiving sighting records of colour-ringed birds, along with photographic-assisted sightings of conventionally ringed birds, these have also now been included.

Key

Age when ringed.

This is given according to the EURING code. The figures do not represent years but are interpreted as follows:

- 1 nestling or chick not yet able to fly
- 2 fully grown, year of hatching quite unknown
- 3 definitely hatched during current calendar year
- 4 hatched before current calendar year, exact year unknown
- 5 definitely hatched during last calendar year
- 6 hatched before last calendar year of ringing, exact year unknown
- 7 definitely hatched two calendar years ago before ringing
- 8 hatched more than two calendar years before ringing
- ? unknown

Sex

M/F Male/Female

Condition on recovery

- X found dead
- XF found freshly dead or dying
- XL found dead (not recent)
- + shot or intentionally killed by man
- S sick or injured - not known to have been released
- V alive and healthy, caught and released but not by a ringer
- VV alive and probably healthy, ring or colour marks read in field
- R caught and released by ringer
- N caught and released but not by a ringer + breeding
- /?/ condition on finding wholly unknown

Cormorant *Phalacrocorax carbo*

CA59920	1	13.05.2001	Lac de Grand-Lieu, Loire-Atlantique, FRANCE
	VV	30.09.2002	Guadiana River, Badajoz, SPAIN
	VV	10.07.2012	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) 427 Km, 4076 days

Many UK ringed Cormorants turnup in France & Spain but very few French-ringed birds get recovered in the UK – this is only the 12th record.

Spoonbill *Platalea leucorodia*

8046366	1	19.07.2006	Oosterkwelder, Schiermonnikoog 53°29'N.6°9'E. NETHERLANDS
	VV	10.10.2011	Brownsea Island 50°41'N.1°58'W. SZ0288, (Dorset) 636 Km, 1909 days

Great White Egret *Egret Egrettaalba*

CA62372	1	04.05.2003	Lac de Grand-Lieu, Loire-Atlantique 47°5'N.1°40'W. FRANCE
	VV	10.12.2012	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) 421 Km, 3508 days

This is the bird that has been returning to the Avon Valley every winter since 2003.

Brent Goose *Branta bernicla*

561149	4	23.05.2001	Banckspolder-Oost, Schiermonnikoog 53°28'N.6°12'E. NETHERLANDS
(YDGF)	VV	20.03.2013	Stanpit Marsh 50°43'N.1°46'W. SZ1791, (Dorset)

C.H.R.S. Bi-ennial Report 2012-2013

Mute Swan *Cygnus olor*

W22418 (H9D)	6 XF	16.07.2006 23.12.2010	Christchurch 50°44'N.1°46'W. SZ1692, (Dorset) Stanpit Marsh 50°43'N.1°46'W. SZ1791, (Dorset) 2 Km, 1621 days
(C9L)	4 XF	08.05.2005 19.07.2012	Christchurch 50°44'N.1°46'W. SZ1692, (Dorset) Hengistbury Head 50°43'N.1°46'W. SZ1790, (Dorset) 1 Km, 2597 days
W14563	4 XF	17.07.2004 07.09.2012	Christchurch 50°44'N.1°46'W. SZ1692, (Dorset) Cosqueville, Cherbourg 49°42'N.1°25'W. FRANCE 118 Km, 8y 1m 21d

Osprey *Pandion haliaetus*

1348928	1JF VV	15.07.1997 06.04.2012	Rothiemurchus, Aviemore 57°11'N.3°50'W. NH8913, SCOTLAND Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) 715 Km, 5379 days
---------	-----------	--------------------------	---



Osprey at Blashford Lakes 6 April 2012 – Photo Gary Prescott

Sparrowhawk *Accipiter nisus*

DB86379	4M XL	04.07.2011 10.03.2013	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) South Gorley, Ringwood 50°53'N.1°46'W. SU1610, (Hants) 3 Km, 615 days
---------	----------	--------------------------	---

C.H.R.S. Bi-ennial Report 2012-2013

Dunlin *Calidris alpina*

JT32767	1	10.09.2011	Ujscie, Wisly, Gdansk, Swibno 54°36'N.18°95'E. POLAND
(6T6)	VV	02.02.2012	Stanpit Marsh 50°43'N.1°46'W. SZ1791, (Dorset) 1455 Km, 146 days

JT26432	4	06.08.2010	Ujscie, Wisly, Gdansk, Swibno 54°36'N.18°95'E. POLAND
(H21)	VV	18.11.2012	Stanpit Marsh 50°43'N.1°46'W. SZ1791, (Dorset) 1455 Km, 835 days

Two Dunlin from the same site on The Baltic – probably of the race schinzii.



Dunlin Stanpit Marsh February 2012 Photo: Joe Murphy

Black-tailed Godwit *Limosa limosa*

“WN+WYf”	1	09.07.2012	Ketilas, Fljot, ICELAND
	VV	08.11.2012	Coward’s Marsh, Christchurch



Ringed as a chick in Iceland – Photo: Pete Potts



Seen as an adult at Coward’s Marsh – Photo: Alan Hayden

“O+RG”	4	June 2005	Chichester Harbour, West Sussex
	VV	17.11.2012	Stanpit Marsh

C.H.R.S. Bi-ennial Report 2012-2013

Greenshank *Tringa nebularia*

FO/R J/Vf	4	21.03.2011	Goulven, FRANCE
	VV	01.07.2011	Stanpit Marsh 50°43'N.1°46'W. SZ1791, (Dorset)
	VV	26.08.2011	Brignogan, FRANCE
	VV	16.10.2011	Goulven, FRANCE
	VV	03.11.2011	Brignogan, FRANCE

Black-headed Gull *Larus ridibundus*

EX30331	1	11.06.2011	Hosehill Lake LNR 51°25'N.1°5'W. SU6469,(W.Berks)
(23J1)	VV	01.03.2012	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hampshire) 78 Km, 264 days
EX30212	1	12.06.2010	Hosehill Lake LNR 51°25'N.1°5'W. SU6469,(W.Berks)
(21D2)	VV	05.11.2011	Stanpit Marsh 50°43'N.1°46'W. SZ1791, (Dorset)
(TAVL)	4	08.06.2010	Przykona Reservoir, Przykona, Turek, POLAND
	VV	18.09.2012	Stanpit Marsh 50°43'N.1°46'W. SZ1791, (Dorset)
EL84447	4	02.01.2009	Christchurch 50°44'N.1°47'W. (Dorset)
	VV	26.02.2011	Clacton-on-Sea 57°47'N.1°10'E. (Essex) 236 Km, 785 days
EG86566	1	28.06.2002	Pylewell Lake, Lymington 50°45'N.1°31'W. SZ3494,(Hampshire)
	V	13.08.2011	Stanpit Marsh 50°43'N.1°46'W. SZ1791,(Dorset) 18 Km, 3333 days
EY01461	1	03.06.2011	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hampshire)
	VV	15.04.2013	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hampshire) 0 Km, 682 days
EY03328	1	04.06.2012	Cokes Pit, Somerford Keynes, (Gloucs)
(22F8)	VV	08.08.2013	Stanpit Marsh 50°43'N.1°46'W. SZ1791,(Dorset) 103 Km, 430 days

Mediterranean Gull *Larus melanocephalus*

EW31760	1	29.05.2007	Belmont,Lancashire
(2A34)	VV	07.03.2011	Stanpit Marsh 50°43'N.1°46'W. SZ1791,(Dorset)
E265917	1	31.05.2002	Zandvlietsluis, Antwerp, BELGIUM
(3NE4)	VV	08.03.2011	Stanpit Marsh 50°43'N.1°46'W. SZ1791,(Dorset)
382738	1	31.05.2009	Retszilas, Fejer, HUNGARY
(HE94)	VV	08.03.2011	Stanpit Marsh 50°43'N.1°46'W. SZ1791,(Dorset)
3.581.599	8	02.08.2004	Le Portal, Pas-de-Calais, FRANCE
(091)	VV	09.03.2011	Stanpit Marsh 50°43'N.1°46'W. SZ1791,(Dorset)
5346.558	1	17.06.2006	Pionierinsel, Hamburg, GERMANY
(AAEE)	VV	13.03.2011	Stanpit Marsh 50°43'N.1°46'W. SZ1791,(Dorset)
FS71698	1	12.06.2009	Conchil-le-Temple, Le Touquet, FRANCE
(693)	VV	14.03.2011	Stanpit Marsh 50°43'N.1°46'W. SZ1791,(Dorset)

Herring Gull *Larus argentatus*

GC48173	1	24.06.2009	Swindon 51°34'N.1°46'W. SU1686,(Wilts)
	VV	30.11.2011	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hampshire) 78 Km, 889 days

C.H.R.S. Bi-ennial Report 2012-2013

Lesser Black-backed Gull *Larus fuscus*

D5795	12	20.05.2011	Chouet Landfill,Guernsey 49°30'N.2°32'W. CHANNEL ISLANDS
	VV	30.11.2011	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hampshire) 161 Km, 194 days
D6526	12	22.05.2012	Chouet Landfill,Guernsey 49°30'N.2°32'W. CHANNEL ISLANDS
(4AJ2)	VV	30.06.2012	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hampshire)
	VV	18.10.2013	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hampshire) 162 Km, 39 & 475 days



LBBG at Blashford Lakes Oct.2013 Photo:Kevin Sayer

FP50619	3	28.07.2011	Pett Level, 50°55'N.0°42'E (East Sussex)
(A7UG)	VV	25.10.2012	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hampshire) 175 Km, 447 days
FH21505	9	06.12.2008	Stoke Orchard Landfill Site, Cheltenham 51°56'N.2°6'W (Gloucs)
(DXT)	VV	18.10.2013	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hampshire) 121 Km, 1777 days



LBBG at Blashford Lakes Oct.2013 Photo:Kevin Sayer

Sandwich Tern *Sterna sandvicensis*

(Red/Blue)	1	2010	Forvie NNR, Newburgh, Aberdeenshire, SCOTLAND
	VV	18.09.2012	Stanpit Marsh, 50°43'N.1°46'W. SZ1791,(Dorset)

Kingfisher *Alcedo atthis*

SB90222	4F	15.08.2011	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hampshire)
	XF	23.03.2012	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hampshire) 0 Km, 220 days

C.H.R.S. Bi-ennial Report 2012-2013

Woodlark *Lullula arborea*

TE41996	1	11.04.2012	Hankley Common, 51°10'N.0°45'W. SU8742,(Surrey)
	VV	20.01.2013	Solent Meads 50°43'N.1°46'W. SZ1691, (Dorset) 88 Km, 284 days



Woodlark Solent Meads – Photo: Peter Shappen

Sand Martin *Riparia riparia*

Y280613	3J	01.08.2011	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hants)
	R	20.08.2011	Pett Level, Winchelsea 50°54'N.0°42'E. TQ9015,(East Sussex) 175 Km, 19 days
L669418	3	12.08.2011	Icklesham 50°54'N.0°40'E. TQ8815,(East Sussex)
	R	19.06.2012	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hampshire) 172 Km, 312 days
Y346775	3	14.08.2012	Llangorse Lake, Powys 51°55'N.3°16'W. SO1326,(Powys) WALES
	R	21.08.2012	HHC 50°43'N.1°46'W. SZ1691, (Dorset) 170 Km, 7 days
Y280576	3	29.07.2011	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hants)
	R	08.09.2011	Estanca Escoron,Ejea de Los Caballeros,Zaragoza 42°2'N.1°12'W SPAIN 983 Km, 41 days

Barn Swallow *Hirundo rustica*

Y512389	1	12.06.2012	Canford Park, Wimborne 50°47'N.1°57'W. SZ0398, (Dorset)
	R	21.08.2012	HHC 50°43'N.1°46'W. SZ1691, (Dorset) 15 Km, 70 days

Robin *Erithacus rubecula*

EF56673	4	22.10.2012	Revtangen, Klepp, NORWAY
	XF	25.11.2012	Christchurch

Duncock *Prunella modularis*

R821307	3	11.09.2006	Wick 50°43'N.1°46'W. SZ1791, (Dorset)
	4M	10.04.2012	Wick 50°43'N.1°46'W. SZ1791, (Dorset) 0 Km, 2038 days

Blackcap *Sylvia atricapilla*

Y280674	3M	20.08.2011	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hampshire)
	R	18.09.2011	Icklesham 50°54'N.0°40'E. TQ8815,(East Sussex) 172 Km, 29 days

Garden Warbler *Sylvia borin*

L928425	4M	09.07.2011	Blashford Lakes 50°52'N.1°47'W. SU1508,(Hampshire)
	R	23.07.2011	Sewage Treatment Works,Swindon 51°34'N.1°50'W. SU1285,(Wilts) 78 Km, 14 days

C.H.R.S. Bi-ennial Report 2012-2013

Cetti's Warbler *Cettia cetti*

L173398	2F	16.09.2010	HHC 50°43'N.1°46'W. SZ1691, (Dorset)
	R	07.05.2012	Abbott's Barton, Winchester 51°4'N.1°18'W. SU4930, (Hampshire)
	R	13.05.2012	Abbott's Barton, Winchester 51°4'N.1°18'W. SU4930, (Hampshire) 51 Km, 599 & 605 days

Sedge Warbler *Acrocephalus schoenobaenus*

L174574	3	15.09.2011	Wick 50°43'N.1°46'W. SZ1791, (Dorset)
	R	19.09.2011	Icklesham 50°54'N.0°40'E. TQ8815, (East Sussex) 172 Km, 4 days
L174210	3	28.07.2011	Wick 50°43'N.1°46'W. SZ1791, (Dorset)
	R	07.08.2011	Saint-Philbert-de-Grand-Lieu, Loire-Atlantique, 47°2'N.1°38'W, FRANCE 410 Km, 10 days
X396899	3	09.08.2010	Wick 50°43'N.1°46'W. SZ1791, (Dorset)
	R	17.08.2010	Saint-Philbert-de-Grand-Lieu, Loire-Atlantique, 47°2'N.1°38'W, FRANCE 410 Km, 8 days
L174275	3	08.08.2011	Wick 50°43'N.1°46'W. SZ1791, (Dorset)
	R	17.08.2011	Tours aux Moutons, Donges, Loire-Atlantique, 47°19'N.2°04'W, FRANCE 379 Km, 9 days
L173771	3J	24.07.2011	Wick 50°43'N.1°46'W. SZ1791, (Dorset)
	R	02.08.2011	Tours aux Moutons, Donges, Loire-Atlantique, 47°19'N.2°04'W, FRANCE
	R	07.08.2011	Tours aux Moutons, Donges, Loire-Atlantique, 47°19'N.2°04'W, FRANCE 379 Km, 9 & 14 days
6295554	4F	02.08.2010	Saint-Vigor-d'Ymonville, Seine-Maritime, 49°29'N.0°21'E, FRANCE
	R	17.08.2011	HHC 50°43'N.1°46'W. SZ1691, (Dorset) 204 Km, 380 days
X925843	3J	21.07.2011	Scotman's Flash, Wigan 53°31'N.2°38'W. SD5803, (Greater Manchester)
	R	31.07.2011	HHC 50°43'N.1°46'W. SZ1691, (Dorset) 317 Km, 10 days
L833354	3	21.08.2011	Little Wilbraham Fen, Fulbourn 52°12'N.0°13'E. TL5158, (Cambs)
	R	31.08.2011	HHC 50°43'N.1°46'W. SZ1691, (Dorset) 215 Km, 10 days
L019721	3	28.08.2010	Icklesham 50°54'N.0°40'E. TQ8815, (East Sussex)
	R	17.08.2011	HHC 50°43'N.1°46'W. SZ1691, (Dorset) 173 Km, 354 days
L913720	3	31.07.2011	Shorne Marshes, Gravesend 51°26'N.0°24'E. TQ6774, (Kent)
	R	08.08.2011	Wick 50°43'N.1°46'W. SZ1691, (Dorset) 171 Km, 8 days
11497714	7	09.08.2010	Tienen, Vlaams, Brabant 50°48'N.4°55'E. BELGIUM
	R	10.08.2011	HHC 50°43'N.1°46'W. SZ1691, (Dorset) 470 Km, 366 days
X396996	3	15.08.2010	HHC 50°43'N.1°46'W. SZ1691, (Dorset)
	R	26.08.2010	Mortagne-sur-Gironde, Charente-Maritime 45°29'N.0°47'W. FRANCE 586 Km, 11 days
X396441	3	01.08.2010	HHC 50°43'N.1°46'W. SZ1691, (Dorset)
	R	07.08.2010	Mortagne-sur-Gironde, Charente-Maritime 45°29'N.0°47'W. FRANCE 586 Km, 6 days

C.H.R.S. Bi-ennial Report 2012-2013

L173681	3	23.07.2011	HHC 50°43'N.1°46'W. SZ1691, (Dorset)
	R	13.05.2012	Stortons GP, Northampton 52°14'N.0°56'W. SP7360, (Northants)
	R	19.05.2012	Stortons GP, Northampton 52°14'N.0°56'W. SP7360, (Northants) 179 Km, 295 & 301 days
X396954	3	12.08.2010	HHC 50°43'N.1°46'W. SZ1691, (Dorset)
	R	16.08.2012	Longham Lakes 50°46'N.1°55'W. SZ0697, (Dorset) 12 Km, 735 days
Y061482	3	25.08.2011	Icklesham 50°54'N.0°40'E. TQ8815, (East Sussex)
	R	12.05.2012	HHC 50°43'N.1°46'W. SZ1691, (Dorset) 173 Km, 261 days
L174928	3	21.08.2012	HHC 50°43'N.1°46'W. SZ1691, (Dorset)
	R	27.08.2012	Ile du Migron,Loire-Atlantique 47°16'N.1°55'W. FRANCE 384 Km, 6 days
L174642	3	11.08.2012	HHC 50°43'N.1°46'W. SZ1691, (Dorset)
	R	19.08.2012	Saint-Philbert-de-Grand-Lieu,Loire-Atlantique 47°2'N.1°38'W. FRANCE 410 Km, 8 days
L174805	3	03.09.2012	HHC 50°43'N.1°46'W. SZ1691, (Dorset)
	R	07.05.2013	Cors Ddyga,Llangefni,Isle of Anglesey 53°13'N.4°19'W. SH4571 WALES 329 Km, 246 days
6885647	4	09.08.2012	Trunvel, Treogat, Finistaire 47°53'N.4°21'W. FRANCE
	R	05.05.2013	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) 380 Km, 269 days
L174786	3	21.08.2012	HHC 50°43'N.1°46'W. SZ1691, (Dorset)
	R	28.08.2013	Litlington, East Sussex 50°47'N.0°9'E. TQ5201, (Sussex) 135 Km, 372 days
L173874	3J	31.07.2011	HHC 50°43'N.1°46'W. SZ1691, (Dorset)
	R	19.08.2013	Tidmoor, The Fleet 50°36'N.2°31'W. SY6478, (Dorset) 55 Km, 750 days
L174538	3	01.09.2011	HHC 50°43'N.1°46'W. SZ1691, (Dorset)
	R	17.07.2013	Wheldrake Ings Nature Reserve, York 53°53'N.0°56'W. SE7043, (Yorks) 357 Km, 685 days
X395601	3	22.08.2009	HHC 50°43'N.1°46'W. SZ1691, (Dorset)
	R	04.08.2013	Icklesham 50°54'N.0°40'E. TQ8815, (East Sussex) 173 Km, 1443 days

It is unusual for us to get a recovery from a bird that is nearly 4 years old. We have no records of this bird being trapped in between these dates.

D457800	3J	09.07.2013	Rutland Water 52°40'N.0°42'W. SK8808, (Rutland)
	R	01.08.2013	HHC 50°43'N.1°46'W. SZ1691, (Dorset) 229 Km, 23 days

Reed Warbler *Acrocephalus scirpaceus*

X396354	3J	28.07.2010	Wick 50°43'N.1°46'W. SZ1791, (Dorset)
	R	27.08.2011	Jaizubia, Hondarribia, Guipuzcoa, 43°21'N.1°49'W, SPAIN 819 Km, 395 days

Our second ever Reed Warbler recovery from Spain.

L330971	3	14.08.2010	South Milton Ley 50°16'N.3°51'W. SX6842, (Devon)
	R	01.06.2011	Solent Meads Golf Club, Southbourne 50°43'N.1°47'W. SZ1791, (Dorset) 155 Km, 291 days

C.H.R.S. Bi-ennial Report 2012-2013

L914585	3J R	27.06.2011 03.08.2011	Crossness Sewage Works,Thamesmead 51°30'N.0°9'E TQ4980, (G.London) HHC 50°43'N.1°46'W. SZ1791, (Dorset) 160 Km, 37 days
V386836	3J R	19.07.2009 13.08.2009	HHC 50°43'N.1°46'W. SZ1791, (Dorset) West Bexington 50°40'N.2°41'W. SY5286, (Dorset) 65 Km, 25 days
X337223	4M R	08.07.2010 25.07.2012	Sherpa Marsh, Velator, Braunton 51°6'N.4°10'W. SS4835, (Devon) Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) 169 Km, 748 days
6079992	3 R	19.08.2010 13.06.2012	Chenac-Saint-Seurin-d'Uzet,Charente-Maritime, 45°30'N.0°49'W, FRANCE Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) 601 Km, 664 days
Y566917	3 R	25.08.2012 06.09.2012	Kilnsea, East Riding of Yorkshire 53°37'N.0°8'E. TA4115, (Yorkshire) HHC 50°43'N.1°46'W. SZ1791, (Dorset) 348 Km, 12 days
L221603	3 R	30.07.2010 05.05.2013	West Bexington 50°40'N.2°41'W. SY5286, (Dorset) Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) 68 Km, 1010 days
Y512991	4 R	27.05.2013 06.07.2013	Longham Lakes 50°46'N.1°55'W. SZ0697, (Dorset) Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) 15 Km, 40 days
Y675292	1J R	07.07.2013 13.08.2013	Woolston Eyes, Warrington 53°23'N.2°32'W. SJ6588, (Cheshire) HHC 50°43'N.1°46'W. SZ1791, (Dorset) 301 Km, 37 days
Y467275	3J R	28.07.2013 05.08.2013	Waterhay, Ashton Keynes 51°38'N.1°55'W. SU0693, (Wilts) HHC 50°43'N.1°46'W. SZ1791, (Dorset) 103 Km, 8 days
D091173	3 R	02.09.2013 05.09.2013	Squire's Down 50°58'N.2°22'W. ST7418, (Dorset) HHC 50°43'N.1°46'W. SZ1791, (Dorset) 51 Km, 3 days
Y662257	3J R	11.08.2013 21.08.2013	Rye Meads 51°46'N.0°0'W. TL3810, (Herts) HHC 50°43'N.1°46'W. SZ1791, (Dorset) 170 Km, 10 days

Chiffchaff *Phylloscopus collybita*

DYT297	3 R	02.09.2011 05.09.2012	Icklesham 50°54'N.0°40'E. TQ8815, (East Sussex) Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) 172 Km, 369 days
EDJ432	3 R	02.09.2012 16.09.2012	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) Icklesham 50°54'N.0°40'E. TQ8815, (East Sussex) 172 Km, 14 days

Blashford Lakes and Icklesham must be on the main migration route for this species. Note both birds originally trapped on the same date but different years – spooky or what!

EDJ453	3 XF	06.09.2012 03.04.2013	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) Nere, Charente-Maritime , 45°58'N.0°14'W, FRANCE 557 Km, 209 days
--------	---------	--------------------------	--

C.H.R.S. Bi-ennial Report 2012-2013

Willow Warbler *Phylloscopus trochilus*

DKJ155	3F	15.08.2011	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants)
	R	12.06.2012	Barry Links, Carnoustie, Angus 56°28'N.2°46'W. NO5332, SCOTLAND 626 Km, 302 days
BXH551	3	09.08.2010	HHC 50°43'N.1°46'W. SZ1791, (Dorset)
	XF	10.04.2013	Saint-Barthelemy-D'Anjou, Maine-et-Loire 47°28'N.0°29'W. FRANCE 373 Km, 975 days

Goldcrest *Regulus regulus*

CJY642	5M	15.03.2012	Bardsey Island, Gwynedd 52°45'N.4°48'W. SH1121, WALES
	R	20.10.2012	HHC 50°43'N.1°46'W. SZ1791, (Dorset) 308 Km, 219 days

Firecrest *Regulus ignicapillus*

CXP127	6M	23.05.2010	Bolderwood 50°52'N.1°39'W. SU2508, (Hants)
	VV	12.03.2011	Bolderwood 50°52'N.1°39'W. SU2508, (Hants)
	VV	26.02.2012	Bolderwood 50°52'N.1°39'W. SU2508, (Hants)
	R	29.03.2012	Bolderwood 50°52'N.1°39'W. SU2508, (Hants) 0 Km, 293, 643 & 675 days
CXP193	6M	21.05.2011	Bolderwood 50°52'N.1°39'W. SU2508, (Hants)
	VV	24.04.2013	Bolderwood 50°52'N.1°39'W. SU2508, (Hants) 0 Km, 704 days

We are at last starting to see some results from this study.

Magpie *Pica pica*

EB65713	4M	02.06.2010	HHC 50°43'N.1°46'W. SZ1791, (Dorset)
	XF	06.02.2013	Hengistbury Head 50°43'N.1°46'W. SZ1790, (Dorset) 2 Km, 944 days

Lesser Redpoll *Carduelis flammea cabaret*

L794164	3	27.12.2010	West Horsley 51°16'N.0°27'W. TQ0854, (Surrey)
	R	15.11.2012	Ferndown 50°48'N.1°53'W. SU0800, (Dorset) 113 Km, 689 days
Y103636	3	22.10.2011	Walton in Gordano 51°27'N.2°49'W. ST4373, (North Somerset)
	R	02.02.2012	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) 97 Km, 103 days
L002612	3J	12.09.2010	Easter Inch Moss, West Lothian 55°52'N.3°36'W NT0066, SCOTLAND
	R	08.03.2012	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) 569 Km, 543 days
Y403593	6M	08.02.2012	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants)
	R	30.09.2012	Broadoak Quarry, Ebchester 54°54'N.1°52'W. NZ0956, (Northumberland) 449 Km, 235 days
Y897494	5	15.02.2013	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants)
	R	22.04.2013	Lockerbie, Dumfries & Galloway 55°7'N.3°23'W NY1282, SCOTLAND 485 Km, 66 days

More examples of breeding Redpolls from North & West UK coming to/from southern England to over-winter.

Y403718	4M	08.03.2012	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants)
	R	15.12.2012	Dukes Warren 51°10'N.0°22'W. TQ1443, (Surrey)
	R	01.01.2013	Dukes Warren 51°10'N.0°22'W. TQ1443, (Surrey) 105 Km, 282 & 299 days
Y469121	3	29.10.2011	Grendon Wood 51°53'N.1°0'W. SP6921, (Bucks)
	R	18.12.2012	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) 126 Km, 416 days

C.H.R.S. Bi-ennial Report 2012-2013

Y537297	4M	11.11.2012	Cardiff Wetland Reserve 51°27'N.3°11'W ST1874, WALES
	R	01.01.2013	Ferndown 50°48'N.1°53'W. SU0800, (Dorset) 116 Km, 51 days
L585754	5M	09.01.2011	Bellshill, North Lanarkshire 55°48'N.4°2'W NS7259, SCOTLAND
	R	11.01.2013	Ferndown 50°48'N.1°53'W. SU0800, (Dorset) 574 Km, 733 days
Y918646	3	28.10.2012	Icklesham 50°54'N.0°40'E. TQ8815, (East Sussex)
	R	27.02.2013	Ferndown 50°48'N.1°53'W. SU0800, (Dorset) 180 Km, 122 days
Y403718	4	08.03.2012	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants)
	R	29.03.2013	Dukes Warren 51°10'N.0°22'W. TQ1443, (Surrey) 105 Km, 386 days

Siskin *Carduelis spinus*

X650269	5	30.01.2010	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants)
	XF	21.03.2012	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants) 0 Km, 781 days

Our ringing at Blashford is now showing more signs of wintering site fidelity amongst the Siskin population.

Y715823	5F	02.06.2012	Braytown, Wool 50°40'N.2°14'W. SY8386, (Dorset)
	R	09.08.2012	Sway, New Forest 50°47'N.1°37'W. SZ2799, (Hants) 46 Km, 68 days
Y403692	5M	29.02.2012	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants)
	R	09.09.2012	Peebles, Scottish Borders 55°39'N.3°11'W. NT2540, SCOTLAND 540 Km, 193 days
Y805504	3J	01.06.2012	Barcud, Blaenpennal 52°15'N.4°1'W. SN6263 (Ceredigion), WALES
	R	03.03.2013	Pope's Hill 51°49'N.2°28'W. SO6814, (Gloucs)
	R	29.03.2013	Pope's Hill 51°49'N.2°28'W. SO6814, (Gloucs)
	R	26.04.2013	Barcud, Blaenpennal 52°15'N.4°1'W. SN6263 (Ceredigion), WALES 117 Km, 275,301 and 329 days

An interesting set of movements! Why would it want to winter only a short distance from its natal area?

D294575	5M	01.03.2013	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants)
	XF	08.03.2013	Ringwood 50°51'N.1°46'W. SU1605, (Hants) 3 Km, 7 days
Y403516	4F	31.01.2012	Ferndown 50°48'N.1°53'W. SU0800, (Dorset)
	V	17.04.2013	Ferndown 50°48'N.1°52'W. SU0800, (Dorset) 2 Km, 442 days

This bird was taken by a cat and released alive by RSPCA at Ashley Heath near Ringwood.

D237558	6M	09.03.2013	Sway, New Forest 50°47'N.1°37'W. SZ2799, (Hants)
	R	07.04.2013	Fearnan, Loch Tay, Perth & Kinross 56°34'N.4°5'W NN7244, SCOTLAND 663 Km, 29 days
Y403774	5F	16.03.2012	Blashford Lakes 50°52'N.1°47'W. SU1508, (Hants)
	R	06.05.2013	Humshaugh 55°2'N.2°8'W. NY9271, (Northumberland) 464 Km, 416 days
Y879506	6M	14.03.2013	Nantmel, Rhayader 52°17'N.3°25'W. SO0366, (Powys), WALES
	R	31.03.2013	Barcud, Blaenpennal 52°15'N.4°1'W. SN6263 (Ceredigion), WALES 41 Km, 17 days

C.H.R.S. Bi-ennial Report 2012-2013

L910888 3J 18.06.2012 Bratton, Minehead 51°12'N.3°31'W. SS9446, (Somerset)
R 19.05.2013 Sway, New Forest 50°47'N.1°37'W. SZ2799, (Hants)
141 Km, 335 days

Reed Bunting *Emberiza schoeniclus*

L174025 3JF 06.08.2011 Wick 50°43'N.1°46'W. SZ1791, (Dorset)
R 05.11.2011 Lytchett Bay, Poole Harbour 50°44'N.2°3'W. SY9692,(Dorset)
21 km, 91 days



Male Sparrowhawk Barced Wales Nov 2013 Photo: Brenda Cook

C.H.R.S. Bi-ennial Report 2012-2013

CHRS Annual Totals 1956-2013

	1956-99	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Total
Grey Heron	1															1
Little Egret	0								1							1
Mute Swan	28															28
Canada Goose	1															1
Mallard	1										1					2
Pintail	1															1
Sparrow hawk	20				1	1			2	1						25
Kestrel	2															2
Water Rail	23															23
Spotted Crane	3															3
Moorhen	30															30
Coot	18															18
Oystercatcher	7															7
Ringed Plover	42															42
Grey Plover	3															3
Lapwing	6															6
Knot	7															7
Sanderling	5															5
Little Stint	5															5
Curlew Sandpiper	5															5
Dunlin	564															564
Jack Snipe	18															18
Common Snipe	258															258
Redshank	23															23
Greenshank	1															1
Wood Sandpiper	1															1
Common Sandpiper	32															32
Turnstone	1															1
Grey Phalarope	5															5
Black-headed Gull	18															18
Herring Gull	3															3
Stock Dove	6															6
Woodpigeon	32				4			2		2	7	3	2		1	53
Cuckoo	4											1				5
Little Owl	1															1
Tawny Owl	4															4
Long-eared Owl	1															1
Nightjar	1															1
Swift	2															2
Kingfisher	130		2		3	3			1	1	2	1	1		2	146
Wryneck	1															1
Green Woodpecker	16		2	1		1	1			1	3	3	1			29
Great Spotted Woodpecker	9								1	1	1	1		2		15
Skylark	145															145
Sand Martin	1172						1			1				68		1,242
Swallow	946								1	1	17	3		14	5	987
House Martin	70													3		73

C.H.R.S. Bi-ennial Report 2012-2013

CHRS Annual Totals 1956-2013

	1956-99	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Total
Tree Pipit	7															7
Meadow Pipit	246									4	3			1		254
Rock Pipit	36															36
Yellow Wagtail	2268										1			31	94	2,394
Grey Wagtail	11															11
Pied Wagtail	74									67	128	22			32	323
Wren	614	2	12	13	14	20	11	5	9	33	37	25	11	9	10	825
Dunnock	778		1	2	13	17	9	3	11	40	39	21	13	10	9	966
Robin	776		5	13	25	27	25	12	38	58	71	52	48	11	18	1,179
Nightingale	19															19
Bluethroat	5															5
Black Redstart	3															3
Redstart	277						1			2			2		1	283
Whinchat	44			1												45
Stonechat	106			4		1	1				1	1		1		115
Wheatear	46														1	47
Ring Ouzel	6															6
Blackbird	1338	1	2	4	11	7	2	5	8	17	42	21	11	7	8	1,484
Fieldfare	3															3
Song Thrush	367		2	3	2	8	3	2	4	14	14	9	5	5	7	445
Redwing	13															13
Mistle Thrush	34															34
Cetti's Warbler	75	2	3	3	18	11	10	1	2	12	22	16	12	4	7	198
Grasshopper Warbler	28				1					1	1	3	3			37
Aquatic Warbler	29															29
Sedge Warbler	12110	63	61	168	286	170	84	108	47	238	472	835	569	338	175	15,724
Reed Warbler	5093	26	39	66	109	87	48	57	28	137	221	284	121	56	77	6,449
Great Reed Warbler	1															1
Dartford Warbler	11															11
Barred Warbler	2									1						3
Lesser Whitethroat	92				2	2	2	1	1	1	5	5	4	1	1	117
Whitethroat	989	3	5	36	14	24	21	14	11	51	88	65	101	17	15	1,454
Garden Warbler	183	1				3	2	1	1	2	9	7	2		1	212
Blackcap	938			3	17	25	12	4	8	63	121	109	70	36	31	1,437
Greenish Warbler	1															1
Pallas's Warbler	1															1
Yellow-browed Warbler	2									1						3
Bonelli's Warbler	1															1
Wood Warbler	7															7
Chiffchaff	1392		4	6	83	85	25	8	29	152	136	186	106	81	60	2,353
Willow Warbler	4876	9	24	17	30	84	64	9	42	63	33	204	166	21	37	5,679

C.H.R.S. Bi-ennial Report 2012-2013

CHRS Annual Totals 1956-2013

	1956-99	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Total
Goldcrest	894				9	18				35		29	4	17	1	1,007
Firecrest	41										1		1			43
Spotted Flycatcher	179										1	1				181
Pied Flycatcher	53														1	54
Bearded Tit	74											2		3	2	81
Long-tailed Tit	133		7	2	17	7	9		15	31	8	8	19	6	7	269
Marsh Tit	3															3
Coal Tit	33				2								1			36
Blue Tit	2617	3	5	26	16	19	12	7	19	37	71	49	14	3	5	2,903
Great Tit	367		5	2	13	9	6	6	16	34	38	21	12	6	5	540
Treecreeper	7										1	1	1			10
Woodchat Shrike	2															2
Jay	1				1					1						3
Magpie	24		2							1		4				31
Jackdaw	6															6
Rook	1															1
Carrion Crow	5															5
Starling	492			3	1							1				497
House Sparrow	408								1	6		1	3			419
Tree Sparrow	51															51
Chaffinch	299				1					1	3	1				305
Brambling	20															20
Greenfinch	1036		1	3	9	13	38	8	10	54	113	56	33	13	15	1,402
Goldfinch	340				12	6	4	2	6	9	5	1	7	1	8	401
Siskin	6											1				7
Linnet	1037											2				1,039
Lesser Redpoll	58									31	12	1	1	2		105
Bullfinch	63															63
Northern Parula	1															1
Yellow hammer	3															3
Little Bunting	1															1
Reed Bunting	1244	2		3	8	3	10	5	4	47	38	37	27	9	10	1,447
Corn Bunting	20															20
Sw allow /House Martin Hybrid	1															1
Details lost	112															112
TOTAL	46,206	112	182	379	722	651	401	260	316	1,252	1,766	2,093	1,371	776	646	57,133

Blashford Lakes Constant Effort Site 2011 & 2012

Kevin Sayer

(This article originally appeared in “The Kingfisher” quarterly journal of Hampshire Ornithological Society)

During 2011 I had asked Bob Chapman, the Reserve Officer at Hampshire and Isle of Wight Wildlife Trusts Blashford Lakes, whether my small ringing group could be allowed to try and catch a sample of breeding warblers in the northern part of the reserve. He readily agreed and during mid-summer we managed through 5 visits to trap a good number of warblers and also various other common species. We then decided that for 2012 we would run a BTO Constant Effort Site (CES) on the same area using 360 feet of mist-net. The habitat is normally a mixture of dry(-ish) reed-bed and scrub –however the summer of 2012 soon changed that and it wasn't long before wellies were compulsory footwear in all net-rides.

A CES project consists of using the same nets for 12 visits between early May and late August. Fortunately, in spite of the poor weather we did manage all 12 visits catching a total of 420 birds (including retraps) of 22 species. I'm not going to produce a whole load of data showing what we trapped – I will leave that for our bi-ennial report – instead, below is a table of comparison catches between 2011 & 2012 over the same 5 dates. Hopefully, this will give an indication of survival and breeding success between the two years. NB. Figures include past-year retraps but not current years'.

Comparison of Breeding Warblers - 2011 & 2012

	2011		2012		% Difference	
	Adult	Juv	Adult	Juv	Adult	Juv
Reed Warbler	56	9	61	6	+9%	-33%
Garden Warbler	7	13	10	4	+43%	-69%
Blackcap	2	9	2	7	0%	-22%
Chiffchaff	3	13	6	5	+100%	-62%
Willow Warbler	4	2	5	5	+25%	+150%
Total	72	46	84	27	+17%	-41%

Apart from Reed Warblers, the sample sizes are very low and too much shouldn't be read into these figures. However, other CES Ringers I have heard from tell me that their juvenile catches are well down in 2012 but adult survival has held up well – similar to the above table. For 2013 we will be able to do the same comparison but using the full 12 sessions. The BTO will shortly be publishing an overall UK CES 2012 summary, so look out for that.

Other highlights during our 2012 CES project were the capture of some un-expected species: Great Spotted Woodpecker (9), Green Woodpecker (1) and Kingfisher (2). We also managed to trap 10 Sedge Warblers but we think these are predominantly migrants as they do not breed on the reserve and the dates they were caught, mid-July onwards.

We will be running our CES during 2013 and hoping that juvenile catches will improve and things can start to get back to normal.

Blashford Lakes Constant Effort Site 2013

Kevin Sayer

(This article originally appeared in "The Kingfisher" quarterly journal of Hampshire Ornithological Society)

Last year I wrote about how we setup our BTO Constant Effort Site (CES) project at Blashford Lakes. We have now completed 2 full seasons and below I have tried to summarise our results to date. We mainly target the breeding warblers here as the habitat we have chosen to setup our nets reflects the best area on the reserve. The 2012-13 winter was extremely wet in the Avon Valley and this was reflected in the Blashford Lakes reed-beds resembling more a swamp for the first part of the summer. This probably had a detrimental effect on warblers setting up territories and may have had an effect on subsequent juvenile productivity.

Our main target warbler is Reed Warbler. The reed-beds are ideal for this species; damp enough to provide plenty of insects for food with not too much willow scrub. The drier scrub where phragmites reed is absent allows Garden Warbler, Willow Warbler and Chiffchaff to setup their territories. We do have a few breeding Blackcaps too but we think they prefer the drier woodland in the south of the reserve. I have researched the best habitats for our breeding warblers and taken advice from the rspb. Over the next few years I am hoping to work closely with Hampshire & IOW Wildlife Trust in order to manage the habitat which will increase the number of birds breeding on the reserve.

The results for 2013 when compared with 2012 are a bit mixed. Reed Warblers have had a good year but other warbler species haven't fared so well. The table below sums this up.

Comparison of Breeding Warblers - 2012 & 2013

	2012		2013		% Difference	
	Adult	Juv	Adult	Juv	Adult	Juv
Reed Warbler	95	28	98	38	+3%	+36%
Garden Warbler	22	6	8	14	-64%	+133%
Blackcap	4	12	2	8	-50%	-33%
Chiffchaff	15	19	4	24	-73%	+26%
Willow Warbler	8	19	8	10	0%	-47%
Total	144	84	120	94	-17%	+12%

In future years we expect the norm to be what we have achieved in the past 2 years. However, if we experience a dry winter (and Spring) it will be interesting to compare these results.

Thanks must go to my small Ringing Team who have helped me get all 12 visits in for 2013. Luckily the dry-ish summer has allowed us to complete the 2013 survey.

C.H.R.S. Bi-ennial Report 2012-2013



Brenda & Katharine at the CES site

We will be running our CES again during 2014 and hope that our work over the forthcoming winter months reaps its' rewards in 2014.



Bullfinch Pair CES Aug 2012

C.H.R.S. Bi-ennial Report 2012-2013

CES 2012 Ringing Totals at Lapwing Hide

includes retraps!

	Visit 1		Visit 2		Visit 3		Visit 4		Visit 5		Visit 6		Visit 7		Visit 8		Visit 9		Visit 10		Visit 11		Visit 12		Adults	Juvs	Total	
	12-May		17-May		24-May		13-Jun		23-Jun		4-Jul		12-Jul		25-Jul		1-Aug		14-Aug		24-Aug		31-Aug					
	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs				
Green Woodpecker																	1								1	0	1	
Gt.Spotted Woodpecker			2				1	2		3	1									2						4	5	9
Kingfisher																										0	2	2
Jay			1		1																			1		3	0	3
Wren			1				1			1		2		1		3		2		1		1		1		2	12	14
Dunnock	1		1		2		2		2	2	3	1	2	1	2				1			1		1		7	13	20
Robin	1				1		2		1	3	1	2		3		1		1						1	2	5	14	19
Song Thrush		1		1														1		1						0	4	4
Blackbird	3						2	1	2		1		1		1										10	1	11	
Reed Warbler	8		12		11		12		5	2	10		13	1	15	5	2	3	5	4		7	2	6	95	28	123	
Sedge Warbler													1	1			1	4							3	2	8	10
Blackcap							2	2		2		2		2		1		1			1	1	1	1	4	12	16	
Garden Warbler	4		3				1		2	1	4	3	3		2	1	1	1	2						22	6	28	
Chiffchaff	1		2		3		2		1	1	3		1		1		3	2	2		1	5	3	3	15	19	34	
Willow Warbler	1						1			1		4	4	1			1	8	1	3		2			8	19	27	
Great Tit	2		1		1		1	1			1	1			1			1							7	3	10	
Blue Tit	2		4		1		3	5		2		2			1		2	2		1		2	1	5	18	15	33	
Long-tailed Tit			3	4														2						6	11	4	15	
Chaffinch														1											0	1	1	
Reed Bunting	10		3	1	8		2		3		2		1		1							1			31	1	32	
Greenfinch										1												2			2	1	3	
Bullfinch											1												1		5	0	5	
Totals	33	1	33	6	28	0	28	15	15	17	24	20	23	14	21	17	10	24	16	13	5	19	16	22	252	168	420	

CES 2013 Ringing Totals at Lapwing Hide

includes retraps!

	Visit 1		Visit 2		Visit 3		Visit 4		Visit 5		Visit 6		Visit 7		Visit 8		Visit 9		Visit 10		Visit 11		Visit 12		Adults	Juvs	Total	
	5-May		16-May		27-May		9-Jun		19-Jun		27-Jun		6-Jul		20-Jul		3-Aug		10-Aug		17-Aug		29-Aug					
	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs	Adults	Juvs				
Green Woodpecker																		1							0	1	1	
Sparrowhawk																							1			0	1	1
Starling															2											0	2	2
Wren	1						1							3	1			3				1	2	2	5	9	14	
Treecreeper										1																0	1	1
Dunnock	3						1	1	2	1		1						1						1	5	5	10	
Robin					1		2	1	1	2	3		5		1	1	2		1		1			1	4	18	22	
Song Thrush	1										1														1	1	2	3
Blackbird	3		4		2				1					1					2		2				9	6	15	
Reed Warbler	18		19		15		8		6		7	1	11	3	5		3	1	3	12	3	13		8	98	38	136	
Sedge Warbler	2																	3		3					2	11	13	
Cetti's Warbler																							1			0	2	2
Blackcap					1						3		2					1	1	1		1			2	8	10	
Whitethroat																							1			0	1	1
Garden Warbler	3		1				1		1			3		4		1	2	4		2					8	14	22	
Chiffchaff	1								2		2		3	1	4		1	1		3	1	6		3	4	24	28	
Willow Warbler			1								2		2	2	1					2	2	6			8	10	18	
Great Tit			1								1	4												1	2	5	7	
Blue Tit	1		1		4		1				1												1	3	9	3	12	
Long-tailed Tit	2		2				1	2			1											1	1		7	3	10	
Chaffinch							1																		1	0	1	
Reed Bunting	3		6		3		2	1		2		1											1		15	4	19	
Greenfinch																								1	3	5	8	
Bullfinch																				2					0	2	2	
Totals	38	0	35	0	25	1	15	6	9	9	15	18	13	23	9	9	7	23	4	29	8	37	5	20	183	175	358	

C.H.R.S. Bi-ennial Report 2012-2013

Blashford Lakes – Nest Records

During 2012 & 2013 we have been monitoring the nest boxes around the Reserve Centre and nearby open nests. This work has been carried out by Brenda Cook.

Blashford Lakes Nest Records 2012					
Species	Nests	Eggs	Pulli	Fledged	Av.Productivity
Blue Tit	11	85	26	10	0.9
Great Tit	11	75	51	19	1.7
Blackbird	1	4	4	4	4.0
Song Thrush	1	4	3	3	3.0
Total	24	168	84	36	1.5

Blashford Lakes Nest Records 2013					
Species	Nests	Eggs	Pulli	Fledged	Av.Productivity
Blue Tit	12	101	65	32	2.7
Great Tit	9	58	49	15	1.7
Nuthatch	1	7	7	7	7.0
Wren	1	5	4	4	4.0
Chaffinch	1	4	2	2	2.0
Robin	2	10	8	7	3.5
Mute Swan	1	2	2	2	2.0
Total	27	187	137	69	2.6

Juvenile productivity was significantly higher in 2013, mainly due to a drier Spring.



Nuthatch chicks May 2013 Photo:Brenda Cook

Firecrest RAS at Bolderwood, New Forest, Hampshire 2008-2013

This project was instigated to try and understand more about the breeding Firecrests in The New Forest. The aims are to try and estimate their annual survival rate and to understand where the Forest's breeding birds go out-of-season. The initial study area was in the Salisbury Trench and Kings Garn Gutter enclosures during 2008 and 2009. In these 2 areas a total of 15 birds were trapped and colour-ringed. For 2010, the project was moved to Bolderwood as this was thought to hold higher numbers of birds. At the end of 2013 a total of 37 birds had been trapped and colour-ringed. Unfortunately this number of birds trapped isn't enough to allow us to draw any conclusions yet. The project will continue at Bolderwood where hopefully more birds can be trapped.

We are now getting more sightings of previously colour-ringed birds and details can be found in the Recoveries section. Unfortunately, CXP127 could not be re-found during 2013; if it had it would have set a new BTO longevity record.

Blashford Lakes 2012 & 2013

The ringing at The Hampshire & IOW Wildlife Trust site at Blashford Lakes has gone from strength-to-strength over the last few years and has now become our most prolific site. We initially only ringed the over-wintering finches close to the centre. We started a BTO Constant Effort Site (CES) Project in 2012 and this has already given us some interesting indications of the breeding birds in the northern part of the Reserve. We commenced the ringing of the Black-headed Gull colony on Ibsley Water in 2011 and for 2014 we will be colour-ringing them too. The Sand Martin colony near to Goosander Hide has its recent ups-and-downs in recent years. I have attempted to run a BTO RAS on this species. To date we have had only a few adult birds return to breed.

Whilst ringing the Sand Martins we also try to catch some of the autumn migrants in the nearby scrub. In recent years this has introduced some new species to the Reserve such as Tree Pipit and Redstart which do not breed here.



Juvenile Green Woodpecker Aug 2013

C.H.R.S. Bi-ennial Report 2012-2013

Blashford Lakes – Cont'd

Blashford Totals 2012				
	Full Grown	Pulli	Retraps/ Recoveries	Total
Cormorant	0	0	1	1
Lesser-Black-backed Gull	0	0	1	1
Black-headed Gull	0	81	1	82
Kingfisher	3	0	1	4
Green Woodpecker	1	0	0	1
Great Spotted Woodpecker	9	0	3	12
Sand Martin	135	0	74	209
Tree Pipit	2	0	0	2
Wren	15	0	5	20
Duncock	21	0	6	27
Robin	26	0	9	35
Redstart	3	0	1	4
Blackbird	21	4	8	33
Song Thrush	9	3	0	12
Sedge Warbler	10	0	1	11
Reed Warbler	89	0	53	142
Garden Warbler	29	0	8	37
Blackcap	47	0	2	49
Chiffchaff	99	0	9	108
Willow Warbler	72	0	1	73
Goldcrest	9	0	0	9
Long-tailed Tit	17	0	8	25
Coal Tit	1	0	0	1
Blue Tit	64	19	14	97
Great Tit	19	25	14	58
Treecreeper	1	0	2	3
Jay	3	0	0	3
Chaffinch	15	0	0	15
Greenfinch	3	0	0	3
Goldfinch	41	0	2	43
Siskin	148	0	23	171
Lesser Redpoll	99	0	16	115
Bullfinch	6	0	3	9
Reed Bunting	19	0	15	34
TOTAL	1,036	132	281	1,449

C.H.R.S. Bi-ennial Report 2012-2013

Blashford Lakes – Cont'd

Blashford Totals 2013				
	Full Grown	Pulli	Retraps/ Recoveries	Total
Cormorant	0	0	0	0
Lesser-Black-backed Gull	0	0	0	0
Black-headed Gull	0	0	0	0
Sparrowhawk	1	0	0	1
Kingfisher	0	0	1	1
Green Woodpecker	1	0	0	1
Great Spotted Woodpecker	0	0	0	0
Sand Martin	36	0	29	65
House Martin	1	0	0	1
Tree Pipit	0	0	0	0
Pied/White Wagtail	37	0	0	37
Wren	16	4	2	22
Dunnock	10	0	2	12
Robin	30	7	8	45
Redstart	0	0	0	0
Blackbird	14	0	13	27
Song Thrush	4	0	2	6
Cettis Warbler	1	0	1	2
Sedge Warbler	13	0	1	14
Reed Warbler	93	0	44	137
Whitethroat	1	0	0	1
Garden Warbler	22	0	5	27
Blackcap	23	0	2	25
Chiffchaff	58	0	5	63
Willow Warbler	32	0	0	32
Goldcrest	3	0	0	3
Long-tailed Tit	6	0	4	10
Coal Tit	0	0	0	0
Blue Tit	19	34	11	64
Great Tit	9	34	4	47
Treecreeper	1	0	0	1
Nuthatch	1	7	0	8
Starling	2	0	0	2
Jay	0	0	1	1
Chaffinch	8	2	0	10
Brambling	1	0	0	1
Greenfinch	8	0	0	8
Goldfinch	1	0	0	1
Siskin	52	0	14	66
Lesser Redpoll	25	0	14	39
Bullfinch	2	0	0	2
Reed Bunting	13	0	6	19
TOTAL	544	88	169	801

Ferndown Garden Ringing 2012/2013

Since moving back to Dorset in 2007 I have targeted the birds being attracted to our garden. The niger feeders have attracted many wintering finches and the nearby Parley Common brings in a few migrant warblers.

Ferndown Totals 2012				
	Full Grown	Pulli	Retraps/ Recoveries	Total
Sparrowhawk	1	0	0	1
Woodpigeon	1	0	0	1
Great Spotted Woodpecker	6	0	2	8
Pied/White Wagtail	5	0	0	5
Dunnock	3	0	5	8
Robin	7	0	6	13
Blackbird	14	0	1	15
Song Thrush	1	0	0	1
Chiffchaff	6	0	0	6
Goldcrest	49	0	2	51
Long-tailed Tit	14	0	5	19
Coal Tit	18	0	8	26
Blue Tit	34	0	15	49
Great Tit	23	0	4	27
Nuthatch	2	0	2	4
Starling	1	0	0	1
House Sparrow	1	0	0	1
Chaffinch	13	0	0	13
Greenfinch	5	0	0	5
Goldfinch	72	0	2	74
Siskin	36	0	3	39
Lesser Redpoll	41	0	18	59
Bullfinch	3	0	1	4
Reed Bunting	3	0	0	3
TOTAL	359	0	74	433



“Continental” Blackbird Ferndown Jan 2012

C.H.R.S. Bi-ennial Report 2012-2013

Ferndown Totals 2013				
	Full Grown	Pulli	Retraps/ Recoveries	Total
Great Spotted Woodpecker	3	0	3	6
Pied/White Wagtail	18	0	0	18
Dunnock	5	0	8	13
Robin	6	0	2	8
Blackbird	13	0	2	15
Blackcap	3	0	0	3
Chiffchaff	8	0	0	8
Goldcrest	16	0	0	16
Long-tailed Tit	8	0	0	8
Coal Tit	6	0	1	7
Blue Tit	18	0	12	30
Great Tit	13	0	3	16
Magpie	2	0	0	2
Carrion Crow	1	0	0	1
House Sparrow	1	0	0	1
Chaffinch	14	0	0	14
Brambling	1	0	0	1
Greenfinch	2	0	0	2
Goldfinch	59	0	3	62
Siskin	42	0	3	45
Lesser Redpoll	34	0	36	70
TOTAL	273	0	73	346



Juvenile Jackdaw Barcud Wales Photo: Brenda Cook

Ringling at Sway, New Forest and Barcud, Ceredigion, Wales

Brenda Cook achieved her Grade A Ringing Permit at the end of 2013. Her back garden in Sway has been targeted using mist-nets and her own-built drop-down trap. She has also been ringing at a site in mid-Wales.

Sway Totals 2012				
	Full Grown	Pulli	Retraps/ Recoveries	Total
Sparrowhawk	1	0	0	1
Black-headed Gull	1	0	0	1
Stock Dove	3	0	1	4
Woodpigeon	7	0	0	7
Collared Dove	7	0	0	7
Great Spotted Woodpecker	6	0	1	7
Pied/White Wagtail	1	0	0	1
Wren	2	0	0	2
Duncock	27	0	7	34
Robin	15	0	23	38
Blackbird	76	3	48	127
Song Thrush	2	0	0	2
Blackcap	2	0	0	2
Goldcrest	1	0	0	1
Long-tailed Tit	12	0	0	12
Marsh Tit	1	0	0	1
Coal Tit	8	0	0	8
Blue Tit	44	1	6	51
Great Tit	6	0	2	8
Nuthatch	2	0	0	2
Treecreeper	2	0	0	2
Jackdaw	6	0	0	6
Rook	2	0	0	2
Starling	59	0	5	64
House Sparrow	3	0	0	3
Chaffinch	10	0	0	10
Greenfinch	25	0	0	25
Goldfinch	28	0	1	29
Siskin	71	0	6	77
Bullfinch	13	0	1	14
Reed Bunting	2	0	0	2
TOTAL	445	4	101	550

C.H.R.S. Bi-ennial Report 2012-2013

Sway Totals 2013				
	Full Grown	Pulli	Retraps/ Recoveries	Total
Sparrowhawk	0	0	1	1
Black-headed Gull	0	0	0	0
Stock Dove	3	0	0	3
Woodpigeon	2	0	0	2
Collared Dove	8	0	0	8
Great Spotted Woodpecker	1	0	0	1
Pied/White Wagtail	0	0	0	0
Wren	0	0	0	0
Dunnock	8	0	4	12
Robin	8	0	16	24
Blackbird	23	5	44	72
Song Thrush	1	0	0	1
Blackcap	1	0	0	1
Goldcrest	0	0	0	0
Firecrest	1	0	0	1
Long-tailed Tit	0	0	0	0
Marsh Tit	0	0	0	0
Coal Tit	0	0	0	0
Blue Tit	9	0	5	14
Great Tit	3	0	1	4
Nuthatch	1	0	0	1
Treecreeper	0	0	0	0
Magpie	2	0	0	2
Jackdaw	7	0	1	8
Rook	4	0	0	4
Starling	59	0	6	65
House Sparrow	2	0	0	2
Chaffinch	3	0	0	3
Greenfinch	4	0	0	4
Goldfinch	21	0	0	21
Siskin	79	0	11	90
Bullfinch	5	0	0	5
Reed Bunting	3	0	0	3
TOTAL	258	5	89	352



Male Firecrest Sway Nov 2013

C.H.R.S. Bi-ennial Report 2012-2013

Barcud, Wales Totals 2012				
	Full Grown	Pulli	Retraps/ Recoveries	Total
Sparrowhawk	1	0	1	2
Great Spotted Woodpecker	11	0	4	15
Swallow	1	0	0	1
Wren	3	0	0	3
Dunnock	6	0	2	8
Robin	15	0	4	19
Redstart	2	0	0	2
Blackbird	11	0	0	11
Redwing	1	0	0	1
Whitethroat	3	0	0	3
Chiffchaff	6	0	0	6
Willow Warbler	9	0	0	9
Goldcrest	2	0	0	2
Long-tailed Tit	2	0	0	2
Marsh Tit	3	0	4	7
Coal Tit	34	0	20	54
Blue Tit	157	4	61	222
Great Tit	91	12	33	136
Nuthatch	9	0	18	27
Treecreeper	1	0	0	1
Jay	9	0	1	10
Jackdaw	0	3	0	3
Starling	3	0	0	3
House Sparrow	4	0	0	4
Chaffinch	75	0	11	86
Greenfinch	39	0	6	45
Goldfinch	145	0	1	146
Siskin	46	0	6	52
Linnet	1	0	0	1
Lesser Redpoll	2	0	0	2
TOTAL	692	19	172	883

C.H.R.S. Bi-ennial Report 2012-2013

Barcud, Wales Totals 2013				
	Full Grown	Pulli	Retraps/ Recoveries	Total
Sparrowhawk	1	0	0	1
Stock Dove	0	2	0	2
Great Spotted Woodpecker	3	0	6	9
Wren	8	0	0	8
Dunnoek	10	0	0	10
Robin	19	0	5	24
Redstart	1	7	0	8
Blackbird	25	0	4	29
Blackcap	1	0	0	1
Chiffchaff	5	0	0	5
Willow Warbler	4	0	0	4
Goldcrest	2	0	0	2
Long-tailed Tit	5	0	0	5
Marsh Tit	0	0	2	2
Coal Tit	26	0	23	49
Blue Tit	116	2	61	179
Great Tit	69	0	39	108
Nuthatch	4	4	6	14
Treecreeper	2	0	0	2
Jay	9	0	2	11
Jackdaw	0	4	0	4
Chaffinch	41	0	5	46
Greenfinch	20	0	0	20
Goldfinch	71	0	3	74
Siskin	59	0	19	78
Bullfinch	1	0	0	1
Lesser Redpoll	7	0	0	7
TOTAL	509	19	175	703

ACKNOWLEDGEMENTS

Christchurch Harbour Ringing Station couldn't operate without the kind permission of the land owners on whose land we operate.

Bournemouth Borough Council

Mr Mark Holloway
Mr Brian Heppenstall
Mr Hugh Goldsmith

Christchurch Borough Council

Mr Peter Holloway

The Forestry Commission

Mr Andy Page

Blashford Lakes – Hampshire & IOW Wildlife Trust

Mr Bob Chapman
Mr Ed Bennett
Mr Jim Day
Ms Michelle Crooks

Hengistbury Head Centre – Brockenhurst College

Mr Rob Howlett

We would also like to thank all the following Ringers (both resident and visiting) who have helped with ringing operations at various sites during the period. We apologise for any names that are missing, and we thank you too!

Jenny Allen, Annalea Beard, Ed Bennett, Katharine Bowgen, Mark Carter, Andrew Carter, Chris Goding, Andrew Taylor, Brenda Cook, Carol Greig, Ed Brett, Katie Oliver, Kathryn Ross, Louise Jane, Steve Christmas, Sharon O'Reilly.

We would also like to thank our fellow members of Christchurch Harbour Ornithological Group (CHOG) who offer all forms of help throughout the year – come rain or shine!